



# Logitank Blue (DEF) Tanks

## Modular Fuel Storage & Dispensing Systems



### **MODULAR STORAGE**

Combined Diesel and Diesel Exhaust Fluid (DEF) tank, to store both fluids within the one unit.

### **TRANSPORTABLE**

Cost effective method of storing and dispensing both Diesel and DEF from the one unit for depot and home base refuelling.

Save buying bulk diesel; having that diesel available at convenient refuelling stations as well as

being able to dispense DEF to trucks fitted with Selective Catalytic Reduction (SCR) equipment at the same time.

SCR requires the replenishment of DEF fluid (commonly known as AdBlue® in Australia) which is sprayed into the exhaust of trucks (after the diesel has been combusted) and helps to convert oxides of nitrogen into harmless gas and water vapour.

Diesel Exhaust Fluid is not an additive that is added directly to diesel so needs it's own storage and dispensing system.

Provides reduced footprint taken by storing both fluids in a single tank; as opposed to having a separate DEF tank

Fuel monitoring and management, filtration, tank farms, we offer a range of configurable storage solutions tailored to your industry.



Designed specifically for the transport industry.



THE LOGITANK BLUE  
COMBINED DIESEL AND DEF STORAGE WITHIN THE ONE UNIT

The LOGITANK BLUE provides customers with a cost effective method of storing and dispensing both Diesel and AdBlue®, AUS32 or other DEF products from the one unit for depot and home base refuelling. A major benefit is the reduced footprint taken by storing both fluids in a single tank; as opposed to having a separate AdBlue®, AUS32 or other DEF tank taking up additional space in your depot or yard.



LOGITANK BLUE LTBL 60



LOGITANK BLUE LTBL 60

## Logitank Blue

model	diesel safe fill litres	def safe fill litres	length mm	width mm	height* mm
LTBL 26	21,500	4,300	6,058	2,438	2,896
LTBL 60	55,600	7,000	12,192	2,438	2,896
LTBL 104	95,628	10,000	14,630	2,438	3,635

\* tank height only; excludes external pipework

# Specifications



Dual Diesel and DEF tanks for commercial vehicles



## Self bunded dual compartment design

- Bunded pump bay with lockable weatherproof doors
- Fill and dispense points in the main lockable pump bay
- Galvanised access ladder and platform
- Corner container lock castings for ease of transport
- Access manways
- Warranty – 5 years structural, 1 year on valves

## Diesel tank standard with:

- Fluid level dipsticks for tank and interstitial space
- Vent pipe for diesel tank and interstitial space
- Suction foot valve, overfill protection and electronic overfill alarm

## DEF tank standard with:

- Chemical resistant vented tank
- Insulated tank and dispensing line for temperature control
- Stainless steel pipework
- Fluid level dipsticks for tank and interstitial space

*Disclaimer: Information and photographs shown are for marketing purposes only. Actual product may vary to images shown due to continual improvement processes, design changes and optional extras. V3. 0417*

